

участок:	FULL	дистанция	страница
		1,350	1

ДИСТАНЦИЯ ИНТЕРВАЛ (КМ)	НАПРАВЛЕНИЕ	ИНФОРМАЦИЯ	ДО КВ-СТОП
----------------------------	-------------	------------	---------------

0,00		START/СТАРТ	т. WP0 1,350
0,00 1			

0,08		 MVS EMP ТРИАЛ	т. WP30 1,270
0,08 2			

0,15			т. WP31 1,200
0,07 3			

0,19		 С 240°	т. WP32 1,160
0,04 4			

0,23		С 250°	т. WP33 1,120
0,04 5			

➔ **0,08**

участок:	FULL	дистанция	страница
		1,350	2

ДИСТАНЦИЯ ИНТЕРВАЛ (КМ)	НАПРАВЛЕНИЕ	ИНФОРМАЦИЯ	ДО КВ-СТОП
----------------------------	-------------	------------	---------------

0,31			<div style="text-align: right;">1,040</div>
0,08 6			

0,37			<div style="text-align: right;">т. WP34 0,980</div>
0,06 7			

0,48			<div style="text-align: right;">т. WP35 0,870</div>
0,11 8			

0,54			<div style="text-align: right;">т. WP36 0,810</div>
0,06 9			

0,65			<div style="text-align: right;">т. WP37 0,700</div>
0,11 10			

➔ **0,09**

участок		FULL		дистанция	страница
				1,350	3
ДИСТАНЦИЯ ИНТЕРВАЛ (КМ)		НАПРАВЛЕНИЕ	ИНФОРМАЦИЯ		ДО КВ-СТОП
0,74			(KS) 5 ↗ ↘ C 25°	т. WP38 0,610	
0,09	11				
0,80			(KS) 6 et 30 m G !!!! MVS EMP C 180°	т. WP39 0,550	
0,06	12				
0,96				т. WP40 0,390	
0,16	13				
1,14			(KS) 7	0,210	
0,18	14				
1,29			-V ↗ держаться левее	т. WP29 0,060	
0,15	15				

➔ 0,06

участок:	FULL	дистанция	страница
		1,350	4

ДИСТАНЦИЯ	НАПРАВЛЕНИЕ	ИНФОРМАЦИЯ	ДО КВ-СТОП
ИНТЕРВАЛ (КМ)			

1,35		
16		0,000